





# Dosing table:

## Dosing and number of vials/weight

### For administration of Curosurf<sup>®</sup>

(Porcina lunglipider och protein)

Birth weight in grams	Dose to be administered		Bottles to be heated*
	Starting dose in mg (200 mg/kg)	Starting dose in ml (2,5 ml/kg)	Number and dosage
450	90	1.13	 1 x 120 mg bottle
500	100	1.25	
550	110	1.38	
600	120	1.50	
650	130	1.63	
700	140	1.75	 1 x 240 mg bottle
750	150	1.88	
800	160	2.00	
850	170	2.13	
900	180	2.25	
950	190	2.38	
1000	200	2.50	
1050	210	2.63	
1100	220	2.75	
1150	230	2.88	
1200	240	3.00	 1 x 120 mg bottle + 1 x 240 mg bottle
1250	250	3.13	
1300	260	3.25	
1350	270	3.38	
1400	280	3.50	
1450	290	3.63	
1500	300	3.75	
1550	310	3.88	
1600	320	4.00	
1650	330	4.13	
1700	340	4.25	 2 x 240 mg bottle
1750	350	4.38	
1800	360	4.50	
1850	370	4.63	
1900	380	4.75	
1950	390	4.88	
2000	400	5.00	
2050	410	5.13	
2100	420	5.25	
2150	430	5.38	
2200	440	5.50	

The calculations are based on the recommendations in the Summary of Product Characteristics for Curosurf.

\*The vial should be warmed to room temperature prior to its use and gently turned upside down without shaking, in order to obtain a homogeneous suspension.